

WATTS HOFFMANN CO., L.P.A.
ATTORNEYS AT LAW

RECEIVED
CENTRAL FAX CENTER

FEB 19 2004

U.S. POSTAL ADDRESS:
P.O. Box 99839
Cleveland, Ohio 44199-0839

BUILDING ADDRESS:
1100 Superior Avenue, Suite 1750
Cleveland, Ohio 44114-2518

TELEPHONE (216) 241-6700
FACSIMILE (216) 241-8151

OFFICIAL

FACSIMILE TRANSMITTAL

To:	Mr. Wayne A. Langel
Organization:	The United States Patent and Trademark Office
Facsimile No.:	(571) 272-1353 703-872-9806
From:	Michael A. Miller
Date:	February 19, 2004
Our File No.:	16-080
No. of pages: (including this cover pg.)	23

MESSAGE:

☐ (if checked) A confirmation copy of this transmission will follow via U.S. mail.

CONFIDENTIALITY NOTE

The information accompanying this facsimile transmission may be confidential, privileged, and exempt from disclosure under applicable law. This information is intended only for the individual or entity identified on this transmittal. If you are not the intended recipient, be aware that any disclosure, dissemination, copying or distribution, or use of this information is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone (collect), so that we can arrange for the retrieval of the transmitted facsimile page(s). Thank you.

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

FEB 19 2004

OFFICIAL

In re application of: Cooper, John J.
Serial No.: 10/031,501
Filed: January 15, 2002
Title: METHOD OF PRODUCING SURGICAL GRADE CALCIUM
SULPHATE
Docket No.: 16-080
Art Unit: 1754
Examiner: Wayne A. Langel

Watts, Hoffmann, Fisher & Heinke Co., L.P.A.
1100 Superior Avenue, Suite 1750
Cleveland, OH 4414-2518

MS-Amendment
Commissioner for Patents
P.O. BOX 1450
Alexandria, VA 22313-1450

INTERVIEW SUMMARY


The undersigned would like to thank Examiner Langel for his time discussing the present case on February 19, 2004. The undersigned raised an issue as to the Examiner's statement that there is no support in the specification for the feature in amended claim 1 that "rehydrating the calcium sulphate anhydrite by immersing in any one of water and a salt solution where the concentration of salt in solution is less than 1%." The undersigned directed the Examiner's attention to the cited portions of the International Application where it states that "rehydration may take place in water or a dilute salt solution. The salt solution may comprise succinic acid or a potassium sulphate solution, with a concentration of less than 1% and desirably substantially 0.1%."

Upon reconsideration the Examiner stated that he would withdraw that portion of the rejection as raising new matter if an argument was made that one of ordinary skill in the art would ascertain that rehydration can take place in water or a dilute salt solution where a dilute salt solution may comprise a solution having a concentration of salt that is

less than 1%. The argument is based on the example in the specification relating to succinic acid or potassium sulphate solution having a concentration of less than 1%, defining what a dilute salt concentration entails. Based on this portion of the specification, one of ordinary skill in the art would recognize that rehydration may take place in a dilute salt solution where the concentration of salt is less than 1%.

Date: 2/19/04

Respectfully submitted,



Michael A. Miller
Reg. No.: 50,732